

| | Type | Hits | Search Text | DBs |
|----|------|--------|--|-------|
| 1 | BRS | 245 | 712/300.ccls. | USPAT |
| 2 | BRS | 575755 | DEC alpha | USPAT |
| 3 | BRS | 60948 | DEC and alpha | USPAT |
| 4 | BRS | 53 | DEC and (alpha adj processor) | USPAT |
| 5 | BRS | 38 | richard.in. and sites.in. | USPAT |
| 6 | BRS | 6 | richard.in. and sites.in. and alpha | USPAT |
| 7 | BRS | 1 | Alpha adj AXP adj Chip | USPAT |
| 8 | BRS | 19 | AMD.as. | USPAT |
| 9 | BRS | 1 | "6094688".pn. | USPAT |
| 10 | BRS | 1 | "6094668".pn. | USPAT |
| 11 | BRS | 1 | intel.as. and (mmx adj instruction) | USPAT |
| 12 | BRS | 8 | intel.as. and (mmx adj instruction) | USPAT |
| 13 | BRS | 10 | MMX and ((search\$4 or determin\$4) same (min or max or minimum or maximum) same ((multiple near2 instruction\$3) or array or vector)) | USPAT |
| 14 | BRS | 0 | MMX and ((search\$4 or determin\$4) same (min or max or minimum or maximum) same ((multiple near2 instruction\$3))) | USPAT |
| 15 | BRS | 0 | MMX and ((search\$4 or determin\$4) same (array) same ((multiple near2 instruction\$3))) | USPAT |
| 16 | BRS | 0 | MMX and ((search\$4 or determin\$4) same (vector) same ((multiple near2 instruction\$3))) | USPAT |
| 17 | BRS | 1 | MMX and ((search\$4 or determin\$4) same (array) same (((multiple or multi\$5 or more or one or two or three) near2 instruction\$3))) | USPAT |
| 18 | BRS | 53 | MMX and ((search\$4 or determin\$4) same (array)) | USPAT |
| 19 | BRS | 430 | MMX | USPAT |
| 20 | BRS | 13 | MMX with (search\$4 or determin\$4) | USPAT |

| | | | | |
|----|-----|----|--|-------|
| 21 | BRS | 10 | ((more or increas\$3) near2 parallel\$4) same ((less or few\$3 or deecreas\$3)near3 instruction\$3) | USPAT |
|----|-----|----|--|-------|

| | Type | Hits | Search Text | DBs |
|----|------|-------|--|-------|
| 22 | BRS | 17 | ((less or few\$3 or deecreas\$3)near3 instruction\$3) SAME (pack\$3 near2 data) | USPAT |
| 23 | BRS | 105 | ((more or increas\$3)near3 instruction\$3) SAME (pack\$3 near2 data) | USPAT |
| 24 | BRS | 70 | ((more or increas\$3)near3 instruction\$3) with (pack\$3 near2 data) | USPAT |
| 25 | BRS | 0 | ((more or increas\$3)near3 instruction\$3) with (MMX or(pack\$3 near2 data)) same (exceed near2 limit) | USPAT |
| 26 | BRS | 2334 | ((search\$3 or determin\$3)near2 (value or min or minimum or max or maximum)) with array) | USPAT |
| 27 | BRS | 61 | ((search\$3 or determin\$3)near2 (value or min or minimum or max or maximum)) with array)) and (mmx or (pack\$3 adj data)) | USPAT |
| 28 | BRS | 22 | ((search\$3 or determin\$3)near2 (value or min or minimum or max or maximum)) with array)) and (mmx or (pack\$3 adj data))) and saturat\$3 | USPAT |
| 29 | BRS | 22 | MMX and ((search\$4 or determin\$4) same (array)) and pointer | USPAT |
| 30 | BRS | 8 | MMX and ((search\$4 or determin\$4) same (array) same pointer) | USPAT |
| 31 | BRS | 12462 | kobayashi.in. | USPAT |
| 32 | BRS | 1 | "4774688".pn. | USPAT |
| 33 | BRS | 1 | "6094668".pn. | USPAT |
| 34 | BRS | 4516 | (minimum or min) near2 (even or odd) | USPAT |
| 35 | BRS | 1396 | (minimum or min) adj (even or odd) | USPAT |
| 36 | BRS | 1396 | ((minimum or min) adj (even or odd)) same ((minimum or min) adj (even or odd)) | USPAT |
| 37 | BRS | 8 | ((minimum or min) adj (even or odd)) same ((maximum or max) adj (even or odd)) | USPAT |
| 38 | BRS | 1 | "6094688".pn. | USPAT |

| | Type | Hits | Search Text | DBs |
|----|------|------|---|-------|
| 39 | BRS | 1 | "6094668".pn. | USPAT |
| 40 | BRS | 1471 | 707/?..ccls. and array | USPAT |
| 41 | BRS | 250 | 708/207,236,524,671.ccls. | USPAT |
| 42 | BRS | 1 | "4774688".pn. | USPAT |
| 43 | BRS | 1 | "9923548" | EPO |
| 44 | BRS | 1 | minimum adj location | EPO |
| 45 | BRS | 185 | minimum adj location | USPAT |
| 46 | BRS | 112 | (minimum adj location) and \$5processor | USPAT |
| 47 | BRS | 421 | (minimum adj position) and \$5processor | USPAT |
| 48 | BRS | 2 | (minimum adj position adj calculat\$4) and \$5processor | USPAT |
| 49 | BRS | 1 | "6094668".pn. | USPAT |
| 50 | BRS | 161 | search adj array | USPAT |
| 51 | BRS | 129 | (search adj array) and (minimum or maximum) | USPAT |
| 52 | BRS | 18 | search adj array) same (minimum or maximum | USPAT |
| 53 | BRS | 5 | parallel adj search near2 array | USPAT |
| 54 | BRS | 72 | 708/207.ccls. | USPAT |
| 55 | BRS | 542 | 711/220.ccls. | USPAT |
| 56 | BRS | 407 | 712/244.ccls. | USPAT |
| 57 | BRS | 8 | address adj correction adj factor | USPAT |
| 58 | BRS | 374 | address adj correction | USPAT |
| 59 | BRS | 15 | memory adj address adj correction | USPAT |
| 60 | BRS | 25 | memory adj address adj (correction or adjust\$5) | USPAT |

| | Type | Hits | Search Text | DBs |
|----|------|------|--|-------|
| 1 | BRS | 18 | 712/227.ccls. and 712/244.ccls. | USPAT |
| 2 | BRS | 218 | 714/37.ccls. | USPAT |
| 3 | BRS | 140 | 717/127.ccls. | USPAT |
| 4 | BRS | 280 | 712/227.ccls. | USPAT |
| 5 | BRS | 674 | performance adj monitor | USPAT |
| 6 | BRS | 2 | (performance adj monitor) same (event or exception) same (tag or track) | USPAT |
| 7 | BRS | 101 | (performance adj monitor) same (event or exception) | USPAT |
| 8 | BRS | 66 | (performance adj monitor) with (event or exception) | USPAT |
| 9 | BRS | 315 | 712/244.ccls. | USPAT |
| 10 | BRS | 105 | 717/130.ccls. | USPAT |
| 11 | BRS | 248 | 714/45.ccls. | USPAT |
| 12 | BRS | 140 | 714/45.ccls. and (exception or event) | USPAT |
| 13 | BRS | 376 | (performance adj monitor) and (event or exception) | USPAT |
| 14 | BRS | 1 | "5987598".pn. | USPAT |
| 15 | BRS | 1 | "5608866".pn. | USPAT |
| 16 | BRS | 1 | "5608886".pn. | USPAT |
| 17 | BRS | 354 | branch adj history adj table | USPAT |
| 18 | BRS | 19 | ((correct or incorrect) near2 predict\$4) same (branch adj history adj table) | USPAT |
| 19 | BRS | 87 | ((correct or incorrect or hit or miss) near2 predict\$4) same (branch adj history) | USPAT |
| 20 | BRS | 92 | ((correct or incorrect or hit or miss or valid or invalid) near3 bit) with (branch near2 predict\$4) | USPAT |
| 21 | BRS | 77 | ((valid or invalid) near3 bit) with (branch near2 predict\$4) | USPAT |
| 22 | BRS | 4 | (count or tall\$4) near2 mispredict\$5 | USPAT |
| 23 | BRS | 14 | (count\$4 or tall\$4 or total\$3) near2 mispredict\$5 | USPAT |
| 24 | BRS | 33 | (count\$4 or tall\$4 or total\$3) near3 mispredict\$5 | USPAT |
| 25 | BRS | 256 | 708/207,236,524,671.ccls. | USPAT |
| 26 | BRS | 458 | 712/300,223,21.ccls. | USPAT |